

The Visio25 from IMI Cornelius (formerly known as the SU-12 Bag/Barrel) is built using trusted technology and proven engineering expertise, its simple, affordable design provides:


- O Excellent build quality and highly efficient operation
- O Guaranteed cost-effective cooling performance
- Consistent in-glass temperatures
- Easy installation and serviceability

## Key features include:

- Robust over counter dry coolers
- Instantly ready for use
- Low energy consumption
- Individual wooden barrel cladding as an option
- O Ideal for temporary and mobile outlets
- Compact design
- O Low noise level















### Performance:

Continuous product cooling per hour with a  $\Delta T$  of:

10°C: 47 litres
20°C: 24 litres
30°C: 16 litres
Maximum ambient temperature: 32°C

#### **Options:**

Wooden barrel cladding dimensions:

Height: 450mm Width: 330mm Depth: 440mm

#### **Electrical:**

Mains supply: 220v 50Hz
Run current: 2.1 amps
Start current: 6.3 amps
Maximum power consumption: 290 watts

Supply: 2m of mains cable

# Refrigeration:

Compressor: 7.5cc

Compressor starting torque: 450 watts

Compressor duty: 380 watts

Evaporator type: Aluminium block

Condenser type: Steel fin
Expansion device: Cappilary
Refrigeration type charge: R134a
170g

#### **Product coils:**

Material: Stainless Steel
Number of coils: 2
Diameter (internal/external): 7/8mm (5/16")

**Fan Motor:** 

Output: 5 watts
Speed: 1350 rpm
Direction: Anti-clockwise
Protection: One shot fuse
Fan blade diameter: 172 mm
Pitch: 28°

### **Controls:**

Control type: Mechanical

Compliance To Standards And Legislation
All coolers comply with Brewers Society Code of Practice for Electrical Safety in
Beer Dispense in Licensed Premises. Designed to EN60335 part1 (Safety of
Household and Similar Electrical Appliances-General Requirements). Product coils

are made from 304 stainless steel. Product complies with the current EMC Directive.

IMI Comelius reserves the right to modify the details in the publication as products and specifications are updated and improved. All data contained in this literature is correct at time of print. To ensure technical data is accurate

please contact IMI Cornelius prior to placing your order.



